

2006 Physics

Advanced Higher

Finalised Marking Instructions

© The Scottish Qualifications Authority 2006

The information in this publication may be reproduced to support SQA qualifications only on a non-commercial basis. If it is to be used for any other purposes written permission must be obtained from the Assessment Materials Team, Dalkeith.

Where the publication includes materials from sources other than SQA (secondary copyright), this material should only be reproduced for the purposes of examination or assessment. If it needs to be reproduced for any other purpose it is the centre's responsibility to obtain the necessary copyright clearance. SQA's Assessment Materials Team at Dalkeith may be able to direct you to the secondary sources.

These Marking Instructions have been prepared by Examination Teams for use by SQA Appointed Markers when marking External Course Assessments. This publication must not be reproduced for commercial or trade purposes.

Detailed Marking Instructions – AH Physics 2006

1. Numerical Marking

- (a) The fine divisions of marks shown in the marking scheme may be recorded within the body of the script beside the candidate's answer. If such marks are shown they must total to the mark in the inner margin.
- (b) Negative marks or marks to be subtracted should not be shown. An inverted vee may be used instead.
- (c) The number recorded should always be the marks being awarded. The number out of which a mark is scored SHOULD NEVER BE SHOWN AS A DENOMINATOR. ($\frac{1}{2}$ mark will always mean one half mark and never 1 out of 2.)
- (d) Where square ruled paper is enclosed inside answer books it should be clearly indicated that this item has been considered. Marks awarded should be transferred to the script booklet inner margin and marked G.
- (e) Fractional marks, if awarded to individual questions, should be recorded in the grid, but the total script mark must be rounded up to the next whole number when transferred to the box at the top of the script.

2. Other Marking Symbols which may be used

TICK	–	Correct point as detailed in scheme, includes data entry
SCORE THROUGH	–	Any part of answer which is wrong. (For a block of wrong answer indicate zero marks.)
INVERTED VEE	–	A point omitted which has led to a loss of marks.
WAVY LINE	–	Under an answer worth marks which is wrong only because a wrong answer has been carried forward from a previous part.
“G”	–	Reference to a graph on separate paper. You MUST show a mark on the graph paper and the SAME mark on the script.
“X”	–	Wrong Physics
*	–	Wrong order of marks

3. Marking Symbols which may not be used.

“WP”	–	Marks not awarded because an apparently correct answer was due to the use of “wrong physics”.
“ARITH”	–	Candidate has made an arithmetic mistake.
“SIG FIGS or SF”	–	Candidate has made a mistake in the number of significant figures for a final answer.

4. **General Instructions (Refer to National Qualifications Booklet)**

- (a) No marks are allowed for a description of the wrong experiment or one which would not work.
Full marks should be given for information conveyed correctly by a sketch.
- (b) Surplus answers: where a number of reasons, examples etc are asked for and a candidate gives more than the required number then wrong answers may be treated as negative and cancel out part of the previous answer.
- (c) Full marks should be given for a correct answer to a numerical problem even if the steps are not shown explicitly. The part marks shown in the scheme are for use in marking partially correct answers.
- (d) Where 1 mark is shown for the final answer to a numerical problem $\frac{1}{2}$ mark may be deducted for an incorrect unit.
- (e) Where a final answer to a numerical problem is given in the form 3^{-6} instead of 3×10^{-6} then deduct $\frac{1}{2}$ mark.
- (f) Deduct $\frac{1}{2}$ mark if an answer is wrong because of an arithmetic slip.
- (g) No marks should be awarded in a part question after the application of a wrong physics principle (wrong formula, wrong substitution) unless specifically allowed for in the marking scheme.
- (h) In certain situations, a wrong answer to a part of a question can be carried forward within that part of the question. This would incur no further penalty provided that it is used correctly. Such situations are indicated by a horizontal dotted line in the marking instructions.

Wrong answers can always be carried forward to the next part of a question, over a solid line without penalty.

- (i) $\frac{1}{2}$ mark should be awarded for selecting a formula.
- (j) Where a triangle type “relationship” is written down and then not used or used incorrectly then any partial $\frac{1}{2}$ mark for a formula should not be awarded.
- (k) In numerical calculations, if the correct answer is given then converted wrongly in the last line to another multiple/submultiple of the correct unit then deduct $\frac{1}{2}$ mark.
- (l) Significant figures.
Data in question is given to 3 significant figures.
Correct final answer is 8.16J.
Final answer 8.2J or 8.158J or 8.1576J – No penalty.
Final answer 8J or 8.15761J – Deduct $\frac{1}{2}$ mark.
Candidates should be penalised for a final answer that includes
- three or more figures too many
 - or**
 - two or more figures too few.
ie accept two higher and one lower
- Max $\frac{1}{2}$ mark deduction per question
Max $2\frac{1}{2}$ deduction from question paper

(m) Squaring Error

$$E_K = \frac{1}{2} mv^2 = \frac{1}{2} \times 4 \times 2^2 = 4J \text{ (-1/2, ARITH)}$$

$$E_K = \frac{1}{2} mv^2 = \frac{1}{2} \times 4 \times 2 = 4J \text{ (1/2, formula) Incorrect substitution.}$$

The General Marking Instructions booklet should be brought to the markers' meeting.

Physics – Marking Issues

The current in a resistor is 1.5 amperes when the potential difference across it is 7.5 volts. Calculate the resistance of the resistor.

	Answers	Mark +comment	Issue
1.	V=IR 7.5=1.5R R=5.0Ω	(½) (½) (1)	Ideal Answer
2.	5.0Ω	(2) Correct Answer	GMI 1
3.	5.0	(1½) Unit missing	GMI 2(a)
4.	4.0Ω	(0) No evidence/Wrong Answer	GMI 1
5.	_____Ω	(0) No final answer	GMI 1
6.	$R = \frac{V}{I} = \frac{7.5}{1.5} = 4.0\Omega$	(1½) Arithmetic error	GMI 7
7.	$R = \frac{V}{I} = 4.0\Omega$	(½) Formula only	GMI 4 and 1
8.	$R = \frac{V}{I} = \text{_____}\Omega$	(½) Formula only	GMI 4 and 1
9.	$R = \frac{V}{I} = \frac{7.5}{1.5} = \text{_____}\Omega$	(1) Formula + subs/No final answer	GMI 4 and 1
10.	$R = \frac{V}{I} = \frac{7.5}{1.5} = 4.0$	(1) Formula + substitution	GMI 2(a) and 7
11.	$R = \frac{V}{I} = \frac{1.5}{7.5} = 5.0\Omega$	(½) Formula but wrong substitution	GMI 5
12.	$R = \frac{V}{I} = \frac{7.5}{1.5} = 5.0\Omega$	(½) Formula but wrong substitution	GMI 5
13.	$R = \frac{I}{V} = \frac{7.5}{1.5} = 5.0\Omega$	(0) Wrong formula	GMI 5
14.	V=IR 7.5=1.5 x R R=0.2Ω	(1½) Arithmetic error	GMI 7
15.	V=IR $R = \frac{I}{V} = \frac{1.5}{7.5} = 0.2\Omega$	(½) Formula only	GMI 20

Data Sheet

Common physical Quantities

<i>Quantity</i>	<i>Symbol</i>	<i>Value</i>	<i>Quantity</i>	<i>Symbol</i>	<i>Value</i>
Gravitational acceleration on Earth	g	9.8 ms^{-2}	Mass of electron	M_e	$9.11 \times 10^{-31} \text{ kg}$
Radius of Earth	R_E	$6.4 \times 10^6 \text{ m}$	Charge on electron	e	$-1.60 \times 10^{-19} \text{ C}$
Mass of Earth	M_E	$6.0 \times 10^{24} \text{ kg}$	Mass of neutron	m_n	$1.675 \times 10^{-27} \text{ kg}$
Mass of Moon	M_M	$7.3 \times 10^{22} \text{ kg}$	Mass of proton	m_p	$1.673 \times 10^{-27} \text{ kg}$
Mean of Radius of Moon Orbit		$3.84 \times 10^8 \text{ m}$	Mass of alpha particle	m_a	$1.645 \times 10^{-27} \text{ kg}$
Universal constant of gravitation	G	$6.67 \times 10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}$	Charge on alpha particles		$3.20 \times 10^{-19} \text{ C}$
Speed of light in vacuum	c	$3.0 \times 10^8 \text{ ms}^{-1}$	Planck's constant	h	$6.63 \times 10^{-34} \text{ Js}$
Speed of sound in air	v	$3.4 \times 10^2 \text{ ms}^{-1}$	Permittivity of free space	ϵ_0	$8.85 \times 10^{-12} \text{ Hm}^{-1}$
			Permeability of free space	μ_0	$4\pi \times 10^{-7} \text{ Hm}^{-1}$

Refractive Indices

The refractive indices refer to sodium light of wavelength 589 nm and to substances at a temperature of 173 K.

<i>Substance</i>	<i>Refractive index</i>	<i>Substance</i>	<i>Refractive index</i>
Diamond	2.42	Glycerol	1.47
Glass	1.51	Water	1.33
Ice	1.31	Air	1.00
Perspex	1.49	Magnesium Fluoride	1.38

Spectral Lines

<i>Element</i>	<i>Wavelength/nm</i>	<i>Colour</i>	<i>Element</i>	<i>Wavelength/nm</i>	<i>Colour</i>
Hydrogen	656	Red	Cadmium	644	Red
	486	Blue-green		509	Green
	434	Blue-violet		480	Blue
	410	Violet	<i>Lasers</i>		
	397	Ultraviolet	<i>Element</i>	<i>Wavelength/nm</i>	<i>Colour</i>
	389	Ultraviolet			
Sodium	589	Yellow	Carbon-dioxide	9550	Infrared
				10590	
			Helium-neon	633	Red

Properties of selected Materials

<i>Substance</i>	<i>Density/ Kg m⁻³</i>	<i>Melting Point/K</i>	<i>Boiling Point/K</i>	<i>Specific Heat Capacity/ Jkg⁻¹ K⁻¹</i>	<i>Specific Latent Heat of Fusion/ Jkg⁻¹</i>	<i>Specific latent Heat of Vaporisation/ Jkg⁻¹</i>
Aluminium	2.701 x 10 ³	933	2623	9.02 x 10 ²	3.95 x 10 ⁵
Copper	8.96 x 10 ³	1357	2853	3.86 x 10 ²	2.05 x 10 ⁵
Glass	2.60 x 10 ³	1400	6.70 x 10 ²
Ice	9.20 x 10 ²	273	2.10 x 10 ³	3.34 x 10 ⁵
Glycerol	1.26 x 10 ³	291	563	2.43 x 10 ³	1.81 x 10 ⁵	8.30 x 10 ⁵
Methanol	7.91 x 10 ²	175	338	2.52 x 10 ³	9.9 x 10 ⁴	1.12 x 10 ⁶
Sea Water	1.02 x 10 ³	264	377	3.93 x 10 ³
Water	1.00 x 10 ³	273	373	4.19 x 10 ³	3.34 x 10 ⁵	2.26 x 10 ⁶
Air	1.29
Hydrogen	9.0 x 10 ⁻²	14	20	1.43 x 10 ⁴	4.50 x 10 ⁵
Nitrogen	1.25	63	77	1.04 x 10 ³	2.00 x 10 ⁵
Oxygen	1.43	55	90	9.18 x 10 ²	2.40 x 10 ⁵

The gas densities refer to a temperature of 273 K and pressure of 1.01 x 10⁵ Pa.



2006 AH Physics			
Sample answer and mark allocation		Notes	Margin
<p>1(a)(i)(A) $\bar{t} = \frac{\text{sum}}{\text{number}}$ } (1/2) -OR- } (1/2)</p> <p>$\bar{t} = \frac{10.05 + 9.88 + 10.30 + 9.80 + 9.97}{5}$ } (1/2)</p> <p>$\bar{t} = \frac{50.00}{5} = 10.00$ } (1/2)</p> <p>$\bar{T} = \frac{10.00}{20} = 0.500\text{s}$ } (1/2)</p> <p>(B) uncertainty = $\frac{\text{max} - \text{min}}{N}$</p> <p>uncertainty = $\frac{10.30 - 9.80}{5}$ } (1/2)</p> <p>uncertainty = $\frac{0.500}{5} = 0.100$ } (1/2)</p> <p>uncertainty in T = $\frac{0.100}{20} = \pm 0.005 \text{ s}$ } (1/2)</p>	<p>$\bar{T} = \frac{0.5025 + 0.494 + 0.515 + 0.490 + 0.4985}{5}$ } (1)</p> <p>$\bar{T} = \frac{2.500}{5} = 0.500\text{s}$ } (1/2)</p> <p>OR</p> <p>%age uncertainty in T = 1% } (1)</p> <p>$= \pm 0.005\text{s}$ } (1/2)</p> <p>OR</p> <p>uncertainty = $\frac{0.515 - 0.490}{5}$ } (1)</p> <p>uncertainty in T = $\frac{0.025}{5}$ } (1/2)</p> <p>uncertainty in T = $\pm 0.005\text{s}$ } (1/2)</p>	3	14
<p>(a)(ii) $F = m r \omega^2$ } (1/2)</p> <p>$\omega = \frac{2\pi}{T} \text{ (1/2)} = \frac{2\pi}{0.500} = 4\pi = 12.56$ } (1/2)</p> <p>$F = 0.200 \times 0.500 \times (4\pi)^2$ } (1/2)</p> <p>$F = 15.8 \text{ N}$</p>	<p>EITHER FORMULA MISSING – MAX (1)</p> <p>$F = \frac{m v^2}{r}$ } (1/2)</p> <p>$v = \frac{2\pi r}{T} \text{ (1/2)} = \frac{2\pi \times 0.500}{0.500} = 6.28 \text{ (1/2)}$</p> <p>$F = \frac{0.200 \times (2\pi)^2}{0.500}$ } (1/2)</p> <p>$F = 15.8 \text{ N}$</p>	2	
<p>(a) (iii) % uncertainty in r = $\frac{0.002}{0.500} \times 100 = 0.4\%$ } (1/2)</p> <p>% uncertainty in m = $\frac{0.008}{0.200} \times 100 = 4\%$ } (1/2)</p> <p>% uncertainty in T = $\frac{0.005}{0.500} \times 100 = 1\%$ } (1/2)</p> <p>% uncertainty in T² = $2 \times 1 = 2\%$ } (1/2)</p> <hr/> <p>% uncertainty in F = $\sqrt{(4^2 + 2^2)}$ } (1/2)</p> <p>$= 4.47\%$ } (1/2)</p> <p>$F = (15.8 \pm 0.7) \text{ N}$ } (1)</p>	<p>ALLOW CARRY THROUGH WRONG ANSWER FROM 1(a)(i)(B)</p> <p>Allow $\sqrt{(4^2 + 2^2 + 0.4^2)}$</p> <p>$= 4.49\% \text{ OR } 4.5\%$</p>	4	

2006 AH Physics			
Sample answer and mark allocation		Notes	Margin
(a) (iv) (A)	<p>(1/2) Tension (1/2) Weight</p>	Both label and direction necessary for each (1/2) Accept 'W', 'mg' and 'T' Any mention of centripetal force or tangential force or centrifugal force – Zero marks.	2
(B)	<p>(1/2) Tension</p> <p>(1/2) Weight</p>		
(a) (v)	$weight = mg = 0.200 \times 9.8 = 1.96 \text{ (N)}$ (1/2) $T_{\min} = F_c - W = 15.8 - 1.96 = 13.8 \text{ N}$ (1) (1/2)		2
1 (b)	Pitch decreases -OR- Sound is lower (1)		1

2006 AH Physics				
Sample answer and mark allocation		Notes	Margin	
2 (a) (i)	$\tau = F \times r$ $\tau = 10 \times 20 \times 10^{-3}$ $\tau = 0.20 \text{ Nm}$	($\frac{1}{2}$) ($\frac{1}{2}$) (1)	2	12
(a) (ii)	$\alpha = \frac{\omega - \omega_0}{t}$ $\alpha = \frac{7.5 - 0}{3}$ $\alpha = 2.5 \text{ rads}^{-2}$	($\frac{1}{2}$) ($\frac{1}{2}$) (1)	2	
(a) (iii)	$\tau = I \times \alpha$ $0.20 = I \times 2.5$ $I = \frac{0.20}{2.5} = 0.080 \text{ kgm}^2$	($\frac{1}{2}$) ($\frac{1}{2}$) (1)	2	
2 (b) (i)	$I = \frac{1}{2}mr^2$ $I = 0.5 \times 3.2 \times (0.12)^2$ $I = 0.023 \text{ kgm}^2$	($\frac{1}{2}$) ($\frac{1}{2}$) (1)	2	
(b) (ii)	$I_1\omega_1 = (I_1 + I_2)\omega_2$ $0.080 \times 7.5 = (0.080 + 0.023)\omega_2$ $\omega_2 = 5.8 \text{ rads}^{-1}$	($\frac{1}{2}$) ($\frac{1}{2}$) (1)	Accept $I_1\omega_1 = I_2\omega_2$ ($\frac{1}{2}$) 2	
(c)	Resulting angular velocity LESS I_2 of the ring GREATER Angular momentum CONSERVED (so ω_2 less)	(1) ($\frac{1}{2}$) ($\frac{1}{2}$)	Correct statement with no justification or with justification involving WP – Zero marks. $I\uparrow\omega\downarrow = 1\frac{1}{2}$	2

2006 AH Physics				
Sample answer and mark allocation		Notes	Margin	
3 (a) (i)	Force exerted on 1 kg (of mass) placed in the field (1)	$\frac{W}{M} = 0$ Must be in words	1	9
(a) (ii) (A)	$F = \frac{GmM}{r^2}$ (½) $F = mg$ (½) $mg = \frac{GmM}{r^2}$ (½) $M = \frac{gr^2}{G}$	START HERE = 1½	3	
(B)	$M = \frac{3.7 \times (3.4 \times 10^6)^2}{6.67 \times 10^{-11}}$ (½) $M = 6.4 \times 10^{23} \text{ kg}$ (1)			
(b) (i)	$F = \frac{GmM}{r^2}$ (½) $r = (3.4 \times 10^6 + 0.3 \times 10^6) = 3.7 \times 10^6 \text{ (m)}$ (½) (½) data $F = \frac{6.67 \times 10^{-11} \times 100 \times 6.4 \times 10^{23}}{(3.7 \times 10^6)^2}$ (½) $F = 3.1 \times 10^2 \text{ N}$	If value of r incorrect, then maximum mark possible is 1. (½ for equation and ½ for data) (½) for 6.67×10^{-11} No formula = Max 1	2	
(b) (ii)	$F = mr\omega^2$ (½) $\omega^2 = \frac{3.1 \times 10^2}{100 \times 3.7 \times 10^6}$ (½) $\omega = 9.2 \times 10^{-4} \text{ (rads}^{-1}\text{)}$ (½)	$v = \sqrt{GM/r}$ (½) $v = \sqrt{\frac{6.67 \times 10^{-11} \times 6.4 \times 10^{23}}{3.7 \times 10^6}}$ (½) $v = 3.4 \times 10^3 \text{ (ms}^{-1}\text{)}$ (½)	3	
	$T = \frac{2\pi}{\omega}$ (½) = $\frac{2\pi}{9.2 \times 10^{-4}}$ $T = 6.8 \times 10^3 \text{ s}$ (1)			
		$T = \frac{2\pi r}{v}$ (½) = $\frac{2\pi \times 3.7 \times 10^6}{3.4 \times 10^3}$ $T = 6.8 \times 10^3 \text{ s}$ (1) OR $T = 2\pi \sqrt{\frac{R^3}{GM}}$ (1½)		

2006 AH Physics				
Sample answer and mark allocation		Notes	Margin	
4 (a)	$E_k = \frac{1}{2}m\omega^2 (A^2 - y^2) \quad (\frac{1}{2})$ $E_k = \frac{1}{2} \times 0.25 \times 36 ((5 \times 10^{-2})^2 - y^2) \quad (\frac{1}{2}) \quad (\frac{1}{2}) \quad (\frac{1}{2})$ $E_k = 4.5(2.5 \times 10^{-3} - y^2)$	No Equation = 0 marks $E_k = \frac{1}{2} \times 0.25 \times 36(2.5 \times 10^{-3} - y^2) \quad (\frac{1}{2}) \quad (\frac{1}{2}) \quad (\frac{1}{2})$	2	5
(b)	$E_{k \text{ MAX}} = 4.5 \times 2.5 \times 10^{-3}$ $E_{k \text{ MAX}} = 1.1 \times 10^{-2} \text{ J} \quad (1)$		1	
(c)	$E_p = \frac{1}{2}m\omega^2 y^2 \quad (\frac{1}{2})$ $E_p = \frac{1}{2} \times 0.25 \times 36 \times (0.04)^2 \quad (\frac{1}{2})$ $E_p = 7.2 \times 10^{-3} \text{ J} \quad (1)$	$E_k = 4.5(2.5 \times 10^{-3} - (0.04)^2) \quad (\frac{1}{2})$ $= 4.05 \times 10^{-3} \text{ (J)}$ $E_p = E_{k \text{ MAX}} - E_k \quad (\frac{1}{2})$ $= 1.1 \times 10^{-2} - 4.05 \times 10^{-3}$ $= 7.0 \times 10^{-3} \text{ J} \quad (1)$ Accept $6.9 \times 10^{-3} \text{ J}$ Accept $7.2 \times 10^{-3} \text{ J}$	2	

2006 AH Physics			
Sample answer and mark allocation		Notes	Margin
5.(a)(i)	$V = \frac{1}{4\pi\epsilon_0} \cdot \frac{Q}{r} \quad (\frac{1}{2}) \quad r = 0.18 \quad (\frac{1}{2})$ $\epsilon_0 = 8.85 \times 10^{-12} \quad (\frac{1}{2})$ $2.8 \times 10^5 = \frac{Q}{4\pi \times 8.85 \times 10^{-12} \times 0.18} \quad (\frac{1}{2})$ $Q = 5.6 \times 10^{-6} \text{ C}$	No formula max 1 $(\frac{1}{2} + \frac{1}{2})$ $r = 0.36$ max 1 $(\frac{1}{2} + \frac{1}{2})$ no value shown for $\epsilon_0 =$ max 1 $(\frac{1}{2} + \frac{1}{2})$ $9 \times 10^9 =$ $(\frac{1}{2})$ data in place of ϵ_0	2 10
(a)(ii)	$2.8 \times 10^5 \text{ V} \quad (1)$	Missing V $(\frac{1}{2})$	1
(a)(iii)A	$E = \frac{1}{4\pi\epsilon_0} \cdot \frac{Q}{r^2} \quad (\frac{1}{2})$ $= \frac{5.6 \times 10^{-6}}{4\pi \times 8.85 \times 10^{-12} \times 0.18^2} \quad (\frac{1}{2})$ $= 1.6 \times 10^6 \text{ NC}^{-1} \quad (1)$	Use $r = 0.36$ max $(\frac{1}{2})$ Wrong Q max $(\frac{1}{2})$ $E = \frac{V}{r}$ W.P.	2
(a)(iii)B		$(\frac{1}{2})$ curve. Curve must not touch r axis $(\frac{1}{2})$ for zero inside sphere No labels/wrong labels deduct $(\frac{1}{2})$	1
(b)	$r^2 = 0.72 \quad r = 0.85 \quad (\frac{1}{2})$ $E = \frac{1}{4\pi\epsilon_0} \cdot \frac{Q}{r^2} \quad (\frac{1}{2})$ $= \frac{5.6 \times 10^{-6}}{4\pi \times 8.85 \times 10^{-12} \times 0.85^2} \quad (\frac{1}{2})$ $= 6.99 \times 10^4 \quad (\frac{1}{2})$	6.99×10^4 $9.9 \times 10^4 \quad (1)$ 	4
	Vertical components sum to $2 \times 6.99 \times 10^4 \times \cos 45^\circ \quad (\frac{1}{2})$ $= 9.9 \times 10^4 \text{ NC}^{-1} \quad (1)$ upwards or vertically up or straight up $(\frac{1}{2})$	$(\frac{1}{2})$ for shape of diag	


2006 AH Physics				
Sample answer and mark allocation		Notes	Margin	
6.(a)	$F = EQ$ (½) $= 2.5 \times 10^4 \times 1.6 \times 10^{-12}$ (½) $= 4.0 \times 10^{-8} \text{ N}$ (1)	Allow -ve sign for charge	2	10
(b)	$W = mg$ (½) $= 1.2 \times 10^{-12} \times 9.8$ (½) $= 1.2 \times 10^{-11}$ (½) $\ll Fe$ (½)	If $F = \frac{GMm}{r^2}$ then (½)	2	
(c)	$a = \frac{F}{m}$ (½) $= \frac{4.0 \times 10^{-8}}{1.2 \times 10^{-12}}$ (½) $= (3.3 \times 10^4 \text{ ms}^{-2})$ $t = \frac{\ell}{v} = \frac{7.5 \times 10^{-3}}{20}$ (½) + (½) $= (3.75 \times 10^{-4} \text{ s})$ $s = (ut) + \frac{1}{2} at^2$ (½) $= 0.5 \times 3.3 \times 10^4 \times (3.75 \times 10^{-4})^2$ (½) $= 2.3 \times 10^{-3} \text{ m}$ (1)		4	
(d)	$n = \frac{Q}{e}$ (½) $= \frac{1.6 \times 10^{-12}}{1.60 \times 10^{-19}}$ (½) $= 1 \times 10^7$ (½)	(½) data	2	

2006 AH Physics					
Sample answer and mark allocation		Notes		Margin	
7.(a) (i)	$qV = \frac{1}{2} mv^2 \quad (1/2)$ $q = 1.60 \times 10^{-19} \quad \text{data } (1/2)$ $m = 1.673 \times 10^{-27} \quad \text{data } (1/2)$ $1.60 \times 10^{-19} \times 2 \times 10^3 = 0.5 \times 1.673 \times 10^{-27} \times v^2 \quad (1/2)$ $(v = 6.19 \times 10^5 \text{ ms}^{-1})$	If no equation then max	(1)	2	12
(a) (ii)	$Bqv \quad (1/2) = \frac{mv^2}{r} \quad (1/2) \Rightarrow r = \frac{mv(1/2)}{Bq}$ $r = \frac{1.673 \times 10^{-27} \times 6.19 \times 10^5}{1.3 \times 1.60 \times 10^{-19}} \quad (1/2)$ $= 4.98 \times 10^{-3} \text{ m} \quad (1)$	$r = \frac{mv}{Bq} \quad (1/2)$ <p>Accept 0.005 m</p>		3	
(a) (iii)	$E_k \text{ doubled so } v \text{ increased by } \sqrt{2} \quad (1)$ $v = 6.19 \times 10^5 \times \sqrt{2}$ $= 8.75 \times 10^5 \text{ ms}^{-1} \quad (1)$	$E_{k \text{ FINAL}} = E_{k \text{ INITIAL}} + qV = (\text{or } 2qV)$ <p>OR</p> $\frac{1}{2} mv^2 = \frac{1}{2} mu^2 + qV \quad (1/2)$ <p>Substitution $(1/2)$</p> $v = 8.75 \times 10^5 \text{ ms}^{-1} \quad (1)$		2	
(b)	$E_k = \frac{1}{4\pi\epsilon_0} \frac{Q_1 Q_2}{r} \quad (1)$ $1.57 \times 10^{-13} = \frac{79 \times 1.6 \times 10^{-19} \times 1.60 \times 10^{-19}}{4\pi \times 8.85 \times 10^{-12} \times r} \quad (1/2)$ <p>subs</p> $q \text{ of gold} = 79 \times 1.6 \times 10^{-19} \quad \text{data } (1/2)$ $r = 1.2 \times 10^{-13} \text{ m} \quad (1)$	Accept $1.1 \times 10^{-13} \text{ m}$ (value of constant)		3	
(c)	$m = \frac{m_0}{\sqrt{1 - \frac{v^2}{c^2}}} \quad (1/2)$ $4.66 \times 10^{-27} = \frac{1.673 \times 10^{-27}}{\sqrt{1 - \frac{v^2}{(3 \times 10^8)^2}}} \quad (1/2)$ $v = 2.8 \times 10^8 \text{ ms}^{-1} \quad (1)$			2	

2006 AH Physics					
Sample answer and mark allocation			Notes	Margin	
8(a)	Value of resistor R	(1)	Accept 'resistance'	1	6
(b)	$E = -L \frac{dI}{dt}$	(½)	If only one – ve sign in second line then only (½) mark for equation.	2	
	$-9 = -L \times 12$	(½)			
	$L = 0.75 \text{ H}$	(1)			
(c)	$E = \frac{1}{2} LI^2$	(½)		2	
	$= 0.5 \times 0.75 \times (0.1)^2$	(½)			
	$= 3.8 \times 10^{-3} \text{ J}$	(1)			
(d)	$\frac{dI}{dt}$ very high <u>or</u> rapid decay (or collapse) of magnetic field	(1)		1	

2006 AH Physics				
Sample answer and mark allocation		Notes	Margin	
9.(a)(i)	Strong (force) (1)		1	6
(a)(ii)	A $2u + 1d$ (1)	Accept arrow notation.	2	
	B $1u + 2d$ (1)			
(b)	weak (force) (1)		1	
(c)	$\lambda = \frac{h}{mv}$ (½)		2	
	$= \frac{6.63 \times 10^{-34}}{1.675 \times 10^{-27} \times 3.5 \times 10^3}$ (½)			
	$= 1.13 \times 10^{-10} \text{ m}$ (1)			

2006 AH Physics					
Sample answer and mark allocation			Notes	Margin	
10 (a)	Nodes	(1)		1	8
(b) (i)	$v = f\lambda$ (½) $\lambda = 88 \times 10^{-3} \times 2$ (½) $\lambda = 0.176 \text{ (m)}$ (½) $v = 2000 \times 0.176$ (½) $v = 350 \text{ ms}^{-1}$ (1)		Accept 360 ms^{-1} (early rounding)	3	
(b) (ii)	Measure distance between > 2 nodes or Decrease frequency to increase λ or Decrease frequency to increase node separation (1) This will decrease uncertainty in measurement of λ (1)			2	
(c)	Intensity of reflected sound wave now reduced (1) Difference between intensity of incident sound and reflected sound now greater (1) (Hence resultant intensity greater)			2	

2006 AH Physics			
Sample answer and mark allocation	Notes	Margin	
<p>11(a)(i)</p>  <p style="text-align: center;">diagram (1/2)</p> <p>similar Δ's } or $\frac{d}{l} = \frac{\frac{\lambda}{2}}{\Delta x}$ (1/2)</p> $d = \frac{\lambda l}{2\Delta x}$ (1/2)		2	8
<p>(a) (ii) $d = \frac{589 \times 10^{-9} \times 0.075}{2 \times 3.4 \times 10^{-4}}$ (1/2)</p> $= 6.5 \times 10^{-5} \text{ m}$ (1/2)		1	
<p>(b) (i) $d = \frac{\lambda}{4n}$ (1/2)</p> $= \frac{548 \times 10^{-9}}{4 \times 1.38}$ (1/2) $= 9.9 \times 10^{-8} \text{ m}$ (1)		2	
<p>(b) (ii) $n_{\text{MgF}} < n_{\text{Liquid}}$ (1/2)</p> <p>\therefore no phase change at this surface (1/2)</p> <p>\therefore constructive interference (1/2)</p> <p>\therefore more light reflected (1/2)</p>		2	
<p>(b) (Path length) in oil depends on angle of incidence or thickness (1/2)</p> <p>\therefore different colours are seen due to interference (1/2)</p>		1	

[END OF MARKING INSTRUCTIONS]